INDEX TO VOLUME II

New scientific names are printed in full face type

Abies amabilis, 78; arizonica, 78; balsamea, 77, 78, 93; concolor, 76, 77, 78, 79; grandis, 76, 77, 78, 79, 215; lasiocarpa, 76, 77, 78; magnifica, 78, 79; nobilis 77, 78; shastensis, 76, 78
Acer, branch disease of, 93; culturing Diaporthe on, 205; glabrum, 15, 75; macrophyllum, 15, 75, 76; negundo, 15; pennsylvanicum, 75; saccharinum, 75, 76; saccharum, 75, 76; spicatum, 75, 76
Aecia, 15; on Oxalis, 164, 169; on Viola, 164
Aecidium ceanothi, 13; pedatatum, 20; sagittatum, 167
Aerial isolation and inoculation with Pythium debaryanum, 273
Aesculus, 268
Albugo, 129; candidus, 19
Alchemilla, mildew on, 85; alpigena, 86; alpina vera, 86: conjuncta, 86; connivens, 86; fallax, 86; flexicaulis, 86; impexa, 86; micans, 86; nitida, 86; pastoralis, 86; pubescens, 86
Alfalfa, bacterial disease of, 12
Alnus, 268; acuminata, 75; oregona, 75, 76; rhombifolia, 75; tenuifolia, 75
Alternaria, 8, 51, 52, 67, 182, 183; fasciculata, 52
Alyssum, see Lobularia
Amaranthus retroflexus, culturing Cystopus on, 200
Amelanchier, 15; alnifolia, disease of, 17
American Phytopathological Society, Report of, 43
Anderson, P. J., Cement dust injury to fruit trees (abstract), 45
Anderson, P. J. and Anderson, H. W., The chestnut blight fungus and a related saprophyte, 204; Endothia virginiana, 261
Andropogon, rusts on, 13, 164; furcatus, 164, 168; sorghum, smuts on, 98; virginicus, 20, 164, 165, 166
Anthracnose, cotton, 23; citrus, 217
Aphanomyces levis, 96
Aphis, on sweet pea, 157, 158
Apple, diseases of, 5, 6, 49, 56, 181, 263; inoculation with Gloeosporiums, 153
Apple fruit spot and quince blotch, 63
Apple rust, control of by spraying, 253, 258
Apple scab infection as correlated with maturity of ascospores, weather conditions, and development of fruit buds, 94
Apricot, disease of, 6
Arabis alpina, 141
Araliaceae, Thielavia on, 193
Arctostaphylos, heart rot of, 75
Armillaria mellea, 6
Ascochyta, pisi, 46
Ash, see Fraxinus
Asters, Thielavia on, 192
Atomizer.
Autochrome plate, use in plant pathology, 98
Avena, mildew on, 81; rust on, 47, 201
Bacillus amylovorus, 215; carotovorus, 215; coli, 215; cubonianus, 175; melanogenes, 215; melonis, 9, 215; oleraceae, 215; omnivorus, 215; phytophthorus, 213, 214, 215; solanisaprus, 215; subtilis, 214, 215; typhosus, 214
Bacillus coli, a cause of plant disease, 175
Bacterial mulberry blight, 175
Bacteria, 7, 272; alfalfa, 12; gladiolus bulb, 19; legume nodule, 162; new method of staining, 214; olive knot, 101; onion rot, 176; potato, priority of isolation, 213; relation of Oospora to, 97; relation to plant diseases, 161; Schiff's olive organism, 215
Bacterium beticolum, 215; malvacearum, 23, 98; michiganense, 10; mori, 16, 175; savastanoi, 96, 102, 104, 105, 215; solanacearum, 10; stewarti, 215; tumefaciens, staining of 127, 128; xanthochlorum, 215
Bain, Samuel, M. Use of the autochrome plate method in plant pathology (abstract), 98
Bamboo, disease of, 13
Banana blight, 7
Barbarea stricta, 142
Barley, see Hordeum
Barrett, J. T., A serious root disease of radish (abstract), 96
Bartholomew, E. T., Apple rust controllable by spraying, 253
Beckwith, T. D., Root and culm infections of wheat by soil fungi in North Dakota, 90
Beets, curly top, 11; crown gall, 270
Betula lenta, 75; lutea, 75, 76; nigra, 75; occidentalis, 75, 76; papyrifera, 75; populifolia, 76
Bignoniaceae, Thielavia on, 193
Birds, relation to olive knot, 103
Bitter rot, see apple and pear
Black, Caroline A., see Brooks, Charles
Blackberry, root rot of, 6
Blackleg, cabbage, 8, 46; cauliflower, 8; potato, 92

Bladder senna, 14
Blister rust, white pine, 17, 47
Bloom-dropping, citrus, 223
Blotch, quince, 63
Boddy, John, Experiments in the use of asphaltum and other substances as dressings for wounds of trees (title), 47
Boll rots, cotton, flower infection with, 23, 98
Bordeaux mixture, 177; for apple leaf spot, 55, 190; for apple rust, 254, 258; covering power of precipitation membranes, 32; for olive knot, 104; for potatoes, 45, 252; on spores of Phytophthora, 46
Botanical exhibits by the Connecticut Agricultural Experiment Station, 44
Botrytis, 19, 20; cinerea, 6, 8; douglasii, 215; paeoniae, 19; vulgaris, 18
Botrytis on conifers in the northwest, 215
Box-elder, see Acer
Brassica, 141; alba, 129, 140; arvensis, 140; campestris, 141, 142; napus, 141; nigra, 141; oleracea, 129, 138, 139, 140, 141, 142; oleracea var. acephala, 140, 141; oleracea var. botrytis, 139, 140, 141; oleracea var. capitata, 139, 140; oleracea var. caulorapa, 140, 141; oleracea var. gemmifera, 141; pe-tsai, 140; rapa, 138, 140, 141, 142
Brooks, Charles and Black, Caroline A., Apple fruit spot and quince blotch, 63, 95
Brooks, Charles and DeMeritt, Margaret, Apple leaf spot, 181; Some notes on Sphaeropsis malorum (abstract), 94
Brussels sprouts, see Brassica

Cabbage, 129, 138; black leg, 8; malnutrition diseases, 11; Pythium on 273; resistance of different varieties to club root, 140
Caeoma, on Larix, 94; sagittatum, 167
Calyptospora columnaris, 94
Camelina dentata, 140; microcarpa, 141
Canker, apple, fungi associated with 5, 49, 263; citrus, 223; peach, 6
Capsella bursa-pastoris, 138, 141
Cardinal temperatures for the germination of uredospores of cereal rusts, 47
Carpinus, 268; caroliniana, rot of, 75
Carrot, crown gall of, 271
Carya, disease of, 15
Castanea, 265, 268; alnifolia, 269; crenata, 269; dentata, 261, 268, 269; leaf spot, 92; rot, 74, 76; pumila, 269; sativa, 269; see chestnut bark disease
Castanopsis chrysophylla, heart rot of, 75
Castilla elastica, disease of, 14
Castilleja, Cronartium on, 177
Catalpa, wood rot of, 114
Cauliflower, blackleg, 8, see Brassica
Cause of stem-end rot of citrus fruits (Phomopsis citri n. sp.), 109
Ceanothus americanus, 13; ovatus, 13
Ceara, oedema of, 131
Cedar, see Juniperus
Celtis mississippiensis, heart rot of, 76
Cement dust injury to fruit trees, 45
Centaurea cyanus, rust on, 18
Cercospora, 20; beticola, culturing of, 202
Cereal rusts, germination of uredospores, 47
Chamaedorea, 19
Charlock, see Brassica
Cheiranthus cheiri, 139
Cherry, disease of 6
Chestnut bark disease, 91, 93, 97, 99, 100, 128, 274; fungi of, 88, 204, 211, 262; origin of, 89, 212
Chestnut blight and its allies, 265
Chives, rust on, 9
Chlorosis, 11
Chrysanthemum, disease of, 18, 20
Chrysophlyctis endobiotica, 9
Chytridineae, 10
Citrus, diseases of, 7, 109, 217; aurantium, 113; decumana, 113; limetta, 232; limonis, 231, 232; medica, 217, 232; medica var. acida, 231, 232; medica var. limetta, 232; nobilis, 113
Cladosporium gramineum, 12; herbarum, 51, 57; subnodosum, 10
Clausen, Roy E., A new fungus concerned in wither tip of varieties of Citrus medica, 217
Claviceps paspali, 13; rolfsii, 13; tripsaci, 13
Clinton, G. P., Botanical exhibits by the Connecticut Agricultural Experiment Station (abstract), 44; Notes on some heteroecious rusts of Connecticut (abstract), 94; Chestnut blight and its allies, 265
Club root, 46, 138
Cocoa, disease of, 13
Collards, see Brassica
College course in plant pathology, 150
Colletotrichum, 19; andropogonis, 12; cradwickii, 13; falcatum, 11, 12; gloeosporioides, 154, 156, 159, 217, 227, 228, 229, 232; lagenarium, 154, 156, 159; lindemuthianum, 154, 155, 156; lineola, 12; nigrum, 154, 159; phomoides, 154, 156, 159

Collins, J. Franklin, Some observations on experiments with the chestnut bark disease (abstract), 97
Colutea arborescens, rust on, 14
Comparative susceptibility of cruciferous plants to Plasmodiophora brassicae, 138
Compositae, Thielavia on, 193
Conifers, diseases of, 14, 77; Botrytis on, 215; rust on, 176
Coniothecium scabrum, 8
Coniothyrium pirina, 5, 50-62, 181, 182, 183
Connecticut Experiment Station, Exhibits of, 44
Conringia orientalis, 141
Control of apple rust by spraying, 253, 258
Control of the blackleg disease of the potato, 92
Cook, Mel. T., and Taubenhaus, J. J., The relation of certain parasitic fungi to the age and development of the host plant (abstract) 98; The toxicity of plant acids and enzymes (title), 93
Cordley, A. B., Some results of lime-sulphur research in Oregon (title), 45
Coreopsis tinctoria, mildew on, 18
Corn, culturing Puccinia on, 202
Cornflower, 18
Cornus nuttallii, heart rot of, 75
Correlation between certain species of Puccinia and Uromyces, 48
Corylus, 268
Coryneum, 51, 182; foliicolum, 5, 51-62, 182
Cosmos bipinnatus, blight of, 18
Cotton, anthracnose, 23, 98; boll rots, flower infection with, 23, 98
Covering power of the precipitation membranes of Bordeaux mixture, 32
Crataegus, 15; pringlei, 15
Cress, see Thlaspi
Cronartium coleosporoides, 177; **filamentosum,** 177; quercuum, 94; ribicola, 17, 47, 94
Cronartium associated with Peridermium filamentosum Peck, 176
Crown gall, of beet, 270; of carrot, 271; staining of organism, 127
Cruciferae, susceptibility to Plasmodiophora brassicae; 138; Thielavia on, 193
Cryptosporella viticola, 121
Cucurbitaceae, 138
Culture, apparatus for low temperatures, 106; chamber, 120
Culturing of parasitic fungi on the living host, 197
Cunningham, G. C., The comparative susceptibility of cruciferous plants to Plasmodiophora brassicae, 138; The relationship of Oospora scabies to the higher bacteria (abstract), 97
Curly top, beets, 11
Cuscuta americana, 7
Cyanospora albicedrae, 14
Cyclamen, disease of, 19; Thielavia on, 191
Cydonia sinensis, 71; vulgaris, blotch of, 64
Cylindrosporium, 68, 70; conservans, 17; pomi 59, 63, 71, 72
Cyperus tegetiformis, disease of, 14
Cystopus, 46, 129, 198, 235; bliti, 200; candidus, culturing of, 200; portulacae, 200
Cytospora, 57, 59, 61, 62, 265, 267, 268; cincta, 6

Daines, Lyman, L., see Horne, Wm. T
Damping-off, 16; use of fungicides for, 99
Dematium pullulans, 51, 57
Dematophora necatrix, 7
DeMeritt, Margaret, see Brooks, Charles
Deschampsia caespitosa, 13
Detection of inert ingredients of fungicides, 95
Development of Gloeosporium malicorticis Cordley, 95
Dewberry, "double-blossom" of, 6
Diaporthe, 88, 113, 121; **batatatis** 124; oncostoma, 88; parasitica, 88, 97, 100, 204-211, 261, 265; viticola, 88
Diaporthe, the ascogenous form of sweet potato dry rot, 121
Die back, peach, 6
Dodder, 7
Does Phytophthora infestans cause tomato blight?, 250
Does the potato scab organism survive passage through the digestive tract of domestic animals?, 146
Dothiorella, 123; quercina, 97
Double-blossom, dewberry, 6
Douglas fir, see Pseudotsuga
Draba androsacea, 142
Dryopteris acrostichoides, 19

Echinodontium tinctorium, 18, 78, 79
Edgerton, C. W., Flower infection with cotton boll rots, 23, 98
Edible smut, 93
Emmer, see Triticum
Endomyces mali, 5
Endothia, 88, 207-212, 265, 267; gyrosa, 89, 207, 265, 268; gyrosa var. parasitica, 265, 268; **parasitica,** 210, 262; radicalis, 88, 89, 210-212, 261, 265, 267, 268; **virginiana,** 204, 210, 261, 265
Endothiella, 267
End-rot, ginseng, 193; orange, 8

Epicoccum, 57, 59
Erysimum aspernum, 141; cheranthoides, 141; parviflorum, 141; strictum, 139, 141
Erysiphe cichoracearum, 18, culturing of, 203; graminis, 81, 203
Etiology of crown galls on sugar beet, 270
Euphorbia pulcherrima, 20
Eutettix tenella, 11
Evans, L. H., see Wallace, Errett
Exoascus filicinus, 19

Factors governing germination and infection with Phytophthora infestans, 46
Fagus, 266, 268; atropunicea, heart rot of, 75, 76
Fawcett, H. S., The cause of stem-end rot of citrus fruits (Phomopsis citri n. sp.), 109
Fern, disease of, 19
Field, Ethel, C., see Harter, L. L.
Field laboratory equipment, 172
Fig, Glomerella on, 154, 155
Fink, Bruce, A college course in plant pathology, 150
Fir, see Abies
Flats, for culture work, 198
Floret sterility, wheat, 12
Flower infection with cotton boll rots, 23, 98
Fomes annosus, 15; applanatus, 18, 75; 76; earlei, 48; everhartii, 74, 75; fasciatus, 76; fraxinophilus, 75, 76; igniarius, 18, 75, 76; juniperinus, 48; laricis, 18, 78, 79; nigricans, 75; pinicola, 79; robinae, 76; roseus, 78, texanus, 48
Forest trees, see trees
Fraxinus americana, 76; eanceolata, 76; velutina, 76
French. G. T., see Stewart, F. C.
Fromme, F. D., Sexual fusions in Uredo lini (title), 94
Fruit trees, cement dust injury to, 45
Fulton, H. R., review by, 42
Fungicides, 95, 99, see Bordeaux, lime-sulphur and sulphur
Further study of some Gloeosporiums and their relation to a sweet pea disease, 153
Fusarium, 5, 16, 46, 57, 182, 183; cubense, 7; putrefaciens, 5; rubi, 6; violae, 19
Fusicoccum, 113, 123; viticolum, 123
Fusisporium rubi, 6

Galls, cedar, 254
Germination, of Phytophthora, 46; of uredospores, 47
Giampietro, A. W., correction by, 176
Gibellula suffulta, 135, 137
Giddings, N. J., A practical and reliable apparatus for culture work at low temperatures, 106
—— and Neal, D. C., Control of apple rust by spraying, 258
Ginseng. infection of, with Thielavia basicola, 191; "fiber-rot," 193; root rot, 28
Gladiolus, diseases of, 19
Gleditsia triacanthos, heart rot of, 76
Gloeosporium, 17, 153, 154, 155, 156, 157, 159; aurantiorum, 230; citri, 230; citricolum, 230, 231; depressum, 230; divergens, 16; gallarum, 153, 154, 155, 156, 159; hendersonii, 230; hesperidearum, 230; hysterioides, 230; intermedium, 230; intermedium var. subramulosum, 230; intermixtum, 230; **limetticolum,** 229, 231, 232; malicorticis, 95; musarum, 154, 155, 159; officinale, 153, 155, 156, 159; piperatum, 154, 155, 156; psidii, 7; spegazzinii, 230 231; sphaerelloides var. majus, 230; tenuisporium, 230
Glomerella gossypii, 23, 98, 154-159; rufomaculans. 57-60, 98, 153-159, action of fungicides on, 95; rufomaculans var. cyclaminis, 19
Glyceria acutiflora, 13; septentrionalis, 13
Grape, mildew of, 236, 245
Grape fruit, disease of, 8, 217
Graves, Arthur, H., The chestnut bark disease in Massachusetts (abstract), 99; Large leaf spot of chestnut and oak (abstract), 92
Gregory, C. T., Spore germination and infection with Plasmopara viticola, 235
Guava, disease of, 7
Guayale, disease of, 13
Güssow, H. T., Silver leaf, a disease of fruit trees, (title), 95
Gymnosporangium cornicularis, 15; exiguum, 14; japonicum, 94; juniperae-virginianae, 253; trachysorum, 15

Harding, H. A., The trend of investigation in plant pathology, 95, 161
Harter, L. L and Field, Ethel C., Diaporthe, the ascogenous form of sweet potato dry rot, 121

Hartley, Carl, Disease of coniferous stock in western nurseries (title), 93; The use of fungicides to prevent damping-off (abstract), 99
Hawaii, fungi of, 135
Heald, F. D., Notes on new or little known plant diseases in North America for the year 1910, 5; The leaf spot of the pear, 127
Hedgecock, George G., Notes on some western Uredineae which attack forest trees (abstract), 47; Notes on some diseases of trees in our national forests II, 73, 93; Winter killing and smelter injury in the forests of Montana (abstract), 94; The Cronartium associated with Peridermium filamentosum Peck, 176
——— and Long, H. H., Preliminary notes on three rots of juniper (abstract), 48
Helianthus annuus, culturing Erysiphe on, 203; culturing Puccinia on, 201
Helminthosporium gramineum, 11; sativum, 11
Hemlock, see Tsuga
Hendersonia, 51, 182
Hesperis matronalis, 141
Heterodera radicicola, 138
Heterosporium variabile, 10
Hicoria, 15; aquatica, 76; pecan, 76
Hofmann, Julius V., Aerial isolation and inoculation with Pythium debaryanum, 273
Hop mildew, 9
Hordeum, leaf spot, 11; mildew, 81, 203; rust, 47; bulbosum, 81; jubatum, 81; murinum, 81; secalinum, 81; silvaticum, 81; vulgare, 81
Hori, S., A new leaf rust of peach, 143
Horne, Wm. T., Parker, Wm. B. and Daines, Lyman, L., The method of spreading of the olive knot disease, 96, 101
Humidity box, 199
Humphrey, C. J., Some wood preservatives, with special reference to their toxic properties (title), 95
Hydnum, 79; coralloides, 79
Hydrophyllaceae, Thielavia on, 193
Hypocreaceae, 13

Iberus umbellata, 138
Illosporium malifoliorum, 51
Importance of sanitation in the control of certain plant diseases, 46
Incense cedar, see Libocedrus
Incubators, 106
Infection experiments with the powdery mildew of wheat, 81
Infection experiments with Thielavia basicola on ginseng, 191
Ingram, Della, Preliminary notes on a twig blight of Quercus prinus (abstract), 96
Inoculation experiments with fungi associated with apple leaf spot and canker, 49
Inonotus texanus, 75
Insects, relation to olive knot, 103; fumigation for flea beetles, 164
Ipomoea batata, 124
Isolation of pathogenic potato bacteria; A question of priority, 213
Istvanffi, G. Y. and Palinkas, Gy., Infektionsversuche mit Peronospora, review of, 130

Jacewski, A. A., Diseases of plants, review of, 42
Jackson, H. S., The development of Gloeosporium malicorticis Cordley (abstract), 95
Johnson, Edward, C., Cardinal temperatures for the germination of uredospores of cereal rusts (abstract), 47
Johnson grass, 12
Jones, L. R., The importance of sanitation in the control of certain plant diseases (abstract), 46; review by, 275
Juglans, 268; californica, 74; cinerea, 74, 75, 76; nigra, 74, 75, 76; rupestris, 74
Juniper, rots of, 48
Juniperus, 18, 77, 78; chinensis, 94; horizontalis, 15; monosperma, 48, 78; pachyphloea, 78; sabinoides, 14, 48; scopulorum, 78; utahensis, 48, 78; virginiana, 15, 48; rust of, 253, 258

Kale, see Brassica
Kalmia, rust on, 93
Kawakamia cyperi, 14
Kearney, see McMurran, S. M.
Knot, olive, 96, 101
Kohl rabi, see Brassica

Lachnella cinnabarina, 267
Large leaf-spot of chestnut and oak, 92
Larix, rust on, 94; laricina, 77, 78; lyalli, 78; occidentalis, 77, 78, 79, 215
Lead benzoate, 45
Leaf spot, of the pear, 127; apple, 49, 181; chestnut and oak, 92; cyclamen, 19; phlox, 20
Legumes, nodules of, 161, 162; Thielavia on, 191, 193
Lemon, disease of, 218-221, 232
Lentinus lepideus, 79
Lenzites sepiaria, 115

Lepideum apetalum, 141; campestre, 141, 142; sativum, 142; virginicum, 200
Leptosphaeria lucilla, 127
Lewis, C. E., Inoculation experiments with fungi associated with apple leaf-spot and canker, 49
Libertella, 113
Libocedrus decurrens, peckiness of, 14, 18, 79; mistletoe on, 92
Lightning, effect on trees, 93
Lime, disease of, 217–225, 232
Lime-sulphur, for apple leaf spot, 56, 190; for apple rust, 258; for leaf rust of peach, 145; for olive knot, 104; for potatoes, 45; on spores of Phytophthora, 46
Link, G. K. K., see Wilcox, E. Mead
Liquidambar, 267, 268; styraciflua, rot of, 76
Liriodendron tulipifera, 76, 115, 118
Lloyd, F. E., see Wolf, F. A.
Lobularia maritima, 141
Loculistroma bambusae, 13
Long, William, H., Notes of three species of rusts on Andropogon, 164; see Hedgcock, George, G.
Lophodermim nervisequum, 93
Loranthus calyculatus, 7
Lutman, B. F., The covering power of the precipitation membranes of Bordeaux mixture, 32, 47

Macbridella olivacea, 19
McMurran, S. M., A new internal Sterigmatocystis rot of pomegranates, 125
Macrophoma phoradendri, 16
Macrosporium, 51, 57
Magnolia foetida, rot of, 76
Malnutrition diseases, 10, 11
Malvaceae, Thielavia on, 193
Mangels, culturing Cercospora on, 202
Manihot, oedema on, 131; glaziovii, 131; heptaphylla, 131; pianhyensis, 131
Manure, potato scab in, 148
Maple, see Acer
Marssonia castagnei, 15
Matthiola bicornia, 142; incana, 138
May-apple, Gloeosporium on, 153-159
Meinicke, E. P., Parasitism of Phoradendron juniperinum libocedri (abstract), 92; review by, 178
Melampsora bigelowii, 94
Melhus, I. E., The factors governing germination and infection with Phytophthora infestans (abstract), 46; Culturing of parasitic fungi on the living host, 197; Experiments on spore germination and infection in certain species of Oomycetes, review of, 129
Melogramma, 210
Mesquite, rot of, 74, 75
Metcalf, Haven, Further notes on the chestnut bark disease (title), 97
Method of spreading of the olive knot disease, 96, 101
Miami University, pathology course in, 150
Micrococcus phytophthorus, 213, 214
Mildew, powdery, of wheat, 81
Mistletoe, 6, 7, 16, 17, 18, 92
Monochaetia desmazierii, 92
Morse, W. J., Does the potato scab organism survive passage through the digestive tract of domestic animals? 146; Control of the blackleg disease of the potato (abstract), 92
Morus, bacterial blight of, 16, 175; alba, 76; rubra, 76
Mountain ash, see Sorbus
Mulberry, see Morus
Müller-Thurgau, Infektion der Weinrebe durch Plasmopara viticola, review of, 130
Mushrooms, disease of, 9
Muskmelon, rot of, 9
Mustard, see Brassica, Conringia, Erysimum and Sisymbrium
Mycobacteriaceae, 97
Mycogene perniciosa, 9
Mycosphaerella sentina, 127
Myxosporium, 113; acerinum, 93; corticolum, 56–62

Nasturtium, mildew on, 19
Neal, D. C., see Giddings, N. J.
Nectria, 16, 211, 265
Nectrioideae, 112
Nematodes, 138
Neofabrea malicorticis, 95
Neslia paniculata, 140
New form of pure culture chamber, 120
New fungus on the apple, 263
New fungus concerned in wither tip of varieties of Citrus medica, 217
New internal Sterigmatocystis rot of pomegranates, 125
New leaf rust of peach, 143
New method in bacterial research, 214
North America, plant diseases, 1910, 5
Notes on Hawaiian fungi I. Gibellula suffulta n. sp., 135
Notes on new or little known plant diseases in North America for the year 1910, 5
Notes on some diseases of trees in our national forests, 73, 93
Notes on some heteroecious rusts of Connecticut, 94

Notes on some western Uredineae which attack forest trees, 47
Notes on three species of rusts on Andropogon, 164
Notes upon Cronartium ribicolum, 47
Notes upon tree diseases in the eastern states, 93
Nursery inspection, 216

Oak, see Quercus
Oats, see Avena
Observations on the deterioration and utilization of fire-killed timber in the northwest, 46
Oedema on manihot, 131
O'Gara, P. J., Urophlyctis alfalfae, a fungus disease of alfalfa occurring in Oregon ; first account of its occurrence in the state (title), 99
Ohio, plant disease exhibits in, 44
Olive, knot, 96, 101
Onion, bacterial rot of, 176
Oospora scabies, relation of, to higher bacteria, 97, 146
Oospores, of Plasmopara, 235
Orange, diseases of, 7, 8, 111, 112, 217-222
Orton, Clayton R., Correlation between certain species of Puccinia and Uromyces (abstract), 48
Orton, W. A., The potato Fusarium situation in Europe and America (title), 93
Osage orange, see Toxylon
Ostrya virginiana, rot of, 75
Oxalidaceae, rusts on, 171; Thielavia on, 193
Oxalis corniculata, rust on, 164, 168, 169, 171

Paeony, disease of, 19
Palm, disease of, 19
Panax quinquefolium, 31
Pansy, see Viola
Parasitic fungi, culturing on living host, 197 ; relation to host, 98
Parasitism of Phoradendron juniperinum libocedri (abstract), 92.
Parker, Wm. B., see Horne, Wm. T.
Parthenium argentatum, rust on, 13
Paspalum dilatatum, 13; laeve, 13
Pathology, plant, college course in, 150; investigation in, 161 ; comparison with animal pathology, 162 ; use of autochrome plate in, 98
Patterson, Flora W., An edible smut (abstract), 93
Pea, Thielavia, on, 191
Peach, diseases of, 6 ; leaf rust, 143
Pear, inoculation with Gloeosporiums, 153 ; disease of, 127, 264
Peckiness, 14, 79
Penstemon, rust on, 170
Peridermium, 47 ; cerebrum, 94 ; filamentosum, 47, Cronartium associated with, 176 ; fructigenum, 15, 93 ; harknessii, 47 ; montanum, 47 ; peckii, 15, 94 ; pseudobalsameum, 47 ; pryiforme, 17, 94 ; stalactiforme, 177 ; strobi, 17, 47, 94
Peronospora, 130 ; effusa, 10 ; parasitica, culturing of, 200
Peronosporales, 235, 240 ; review of recent work on, 129
Pestalozzia, 51, 182
Peziza cinnabarina, 267, 268 ; flammea, 267
Phlox, disease of, 20
Phlyctaena, 18
Phoma, 113, 121, 122 ; cabbage wilt, 8, 46 ; quince blotch, imperfect stage of, 68 ; vinca wilt, 20 ; batatae, 121, 123, 124 ; mali, 5, 51 62 , 263; oleracea, 9 ; piceina, 93 ; pomi, 71, 72
Phomopsis, 112, 113, 121, 123, 264 ; ambigua, 264 ; citri, 109, 113 ; mali, 264 ; stewartii, 18
Phoradendron, 18 ; flavescens, 6, 16 : juniperinum libocedri, 92
Phyllostachys, 13
Phyllosticta limitata, 50-62, 181 ; paupercula, 17 ; pirina, 50, 181 ; subtilis, 15
Phytophthora, 14 ; infestans, cause of tomato blight, 250 ; germination of, 46, oospores of, 10 ; omnivora, 252
Picea, defoliation of, 93 ; canadensis, 76, 273 ; engelmanni, 76, 77, 78, 79 ; mariana, 77 ; rubens, 77 ; sitchensis, 77, 78
Pineapple, rot of, 8
Pinus, damping-off, 16 ; mistletoe on, 18 ; albicaulis, 78 ; aristata, 78 ; arizonica, 78 ; austriaca, 17, 94 ; contorta, 77, 78, 79 ; divaricata, 78 ; echinata, 77, 78 ; edulis, 77 ; flexilis, 77, 78 ; jeffreyi, 79 ; lambertiana, 77, 78 ; maritima, 17, 94 ; monticola, 77, 78, 79 ; murrayana, 78 ; palustris, 77, 78 ; ponderosa, 77, 78, 79, 94, 273 ; resinosa, 77, 78 ; rigida, 77 ; strobiformis, 77, 78 ; strobus, 17, 47, 77, 78, 94 ; taeda, 15, 77, 78 ; virginiana, 77, 78
Plant disease exhibits in Ohio, 44
Plant diseases, in North America, 1910, 5 ; importance of sanitation in, 46
Plant pathology, see pathology
Plasmodiophora brassicae, 46 ; susceptibility of crucifers to, 138
Plasmopara viticola, 46 ; germination and infection with, 235
Platanus occidentalis, rot of, 76

Plum, disease of, 6
Poinsettia, disease of, 20
Polygonaceæ, 138
Polyporus adustus, 116; amarus, 14, 79; dryophilus, 18, 73, 74; libocedrus, 14; obtusus, 18; schweinitzii, 18, 76, 77, 78, 80, sulphureus, 18, 76, 79; texanus, 75.
Polytictus hirsutus, 16; versicolor, 114–119
Pomegranate, Sterigmatocystis, rot of, 125
Pomelo, disease of, 218–222
Populus, 15; acuminata, 76; augustifolia, 76; balsamifera, 75, 76; deltoides, 76, 154, 155, 156, 159; grandidentata, 75, 76; tremuloides, 75, 76; trichocarpa, 75, 76
Portulaca oleracea, culturing Cystopus on, 200
Posts, catalpa, decay of, 116
Potato, bacteria, priority of isolation, 213; blackleg, 92; Phytophthora blight of, 250; scab, 11, effect of animal digestion on, 146; sprays for, 45; sulphur injury, 10; wart disease, 9
Potter, Alden A. Ustilagineae on Andropogon sorghum in America (abstract), 98
Powdery mildew of wheat, infection with, 81
Practical and reliable apparatus for culture work at low temperature, 106
Preliminary notes on three rots of Juniper, 48
Preliminary notes on a twig blight of Quercus prinus, 96
Primulaceae, Thielavia on, 193
Prosopis juliflora, rot of, 74, 75
Prunus americana var. ansu, 143; buergeriana, 143; grayana, 143; mume, 143, 145; persica var. vulgaris, 144; simonii, 6
Pseudomonas medicaginis, 12
Pseudoperonospora celtidis var. humuli, 9
Pseudopeziza ribis, 95
Pseudotsuga taxifolia, Botrytis on, 215; mistletoe on, 18; rot of, 76, 77, 78, 79
Puccinia, 143, 144; correlation with Uromyces, 48; ceanothi, 13; cerasi, 143; cesatii, 13; coronata, 47, 201; cyani, 18; deschampsiae, 13; ellisiana, 164-170; graminis, 12, 47, 202; helianthi, 201, 203; parthenii, 14; porri, 9; pruni, 143; **pruni-persicae**, 144; pruni-spinosae, 143, 145; rubigo-vera, 47; **sagittata**, 167; sorghi, 202; subnitens, 48; violae, 168, 169
Pucciniastrum arcticum var. americanum, 94; myrtilli, aecial stage of, 15, 94
Pyrus malus, 76, 264; rivularis, 76
Pythiacystis citrophthora, 8
Pythium debaryanum, 99; isolation and inoculation with, 273

Quercus, 73, 265-268; culturing Diaporthe on, 205; leaf spot, 92; rust on, 94; agrifolia, 268; alba, 16, 74, 76; 268, 269, arizonica, 74; californica, 74, 76; chrysolepis, 76; coccinea, 74, 76; digitata, 74; emoryii, 74, 76; gambelii, 74, 76; garryana, 75, 76; imbricaria, 74; lobata, 74, 76; lyrata, 74; macrocarpa, 74. 76; marilandica, 74, 75; michauxii, 74; minor, 74; nigra, 74; oblongifolia, 74; palustris, 74, 76; phellos, 16, 74; platanoides, 76: prinus, 74, 75, twig blight of, 96; rubra, 74, 75, 76, 92, 268, 269; texana, 74, 75; tbumeyii, 74; undulata, 74; velutina, 74, 261, 268, 269; virginiana, 74, 75; wislizeni, 74, 76
Quince, fruit blotch of, 63
Radish, see Raphanus
Rankin, W. Howard, Sclerotinia panacis sp. nov. the cause of a root rot of ginseng, 28; The chestnut tree canker disease (abstract), 99
Rape, see Brassica
Raphanus, 141; culturing Cystopus on, 200; Pythium on 273; root disease of, 96, caudatus, 129; sativus, 129, 138, 141, 142
Raspberry, root rot of, 6
Ravn, F. Koelpin, Methods of control of plant diseases in North America, review of, 178
Razoumofskya, 17, 18; douglasii, 18
Red cedar, see Juniperus
Reddick, Donald, Field laboratory equipment, 172
Red rot, sugar cane, 11
Reed, George M., Infection experiments with the powdery mildew of wheat, 81; The effect of heavy inoculation with conidia of the wheat mildew upon mildew-resistant emmers (title), 93
Reed, Howard S., Does Phytophthora infestans cause tomato blight?, 250
Refrigerator, 199
Relation of certain parasitic fungi to the age and development of the host plant, 98
Relationship of Oospora scabies to the higher bacteria, 97
Relative merits of lime sulphur, lead benzoate and Bordeaux mixture for spraying potatoes, 45
Rhizoctonia, 31
Rhododendron, rust on, 93

Rhysotheca viticola, 130
Ribes, rust on, 17, 47
Roberts, John W., A new fungus on the apple, 263
Robinia neo-mexicana, 76; pseudacacia, 76
Root and culm infections of wheat by soil fungi in North America, 90
Root rot, ginseng, 28; trees and shrubs, 6, 15, 77.
Rosenbaum, J., Infection experiments with Thielavia basicola on ginseng, 191
Rubber tree, disease of, 14
Rumbold, Caroline, Summer and fall observations on the growth of the chestnut bark disease in Pennsylvania (abstract), 100
Rusts, see Uredineae
Rutabaga, see Brassica
Rye, see Secale

Sabina sabinoides, disease of, 14
Salix, 76; bebbiana, 75; lasiandra, 75; nuttallii, 75; scouleriana, 17
Salsola tragus, Pythium on, 273
Sanitation, importance of in control of plant diseases, 46
Santalaceae, rusts on, 171
Saprolegniaceae, 96, 236
Scab, citrus, 223; potato, effect of animal digestion on, 146; gladiolus, 19
Schiff's olive organism, 215
Schizophyllum commune, 115–119
Sclerotinia fructigena, action of fungicides on, 95; **panacis**, 30; smilicinae, 31; tuberosa, 31
Sclerotinia panacis sp. nov., the cause of a root rot of ginseng, 28
Sclerotium paspali, 13
Scolecospores, 110, 121, 263
Scrofulariaceae, rusts on, 171; Thielavia on, 193
Secale, mildew on, 81, 203
Sedge, disease of, 14
Selby, A. D., Plant disease exhibits in Ohio (abstract), 44
Senecio, Thielavia on, 191
Septoria aceris-macrophylli, 15; angustissima, 16; lycopersici, 252; pisi, 46; pyricola, 127; samarae, 15
Serious root disease of radish, 96
Service berry, see Amelanchier
Shear, C. L., The chestuut bark fungus, Diaporthe parasitica, 88; The chestnut blight fungus, 211
Shepherds purse, see Capsella
Silver scurf, orange, 8
Simmons bill, 216
Sisymbrium altissimum, 141; austriacum, 139; officinale, 138; strictissimum, 139
Smelter injury, forest trees, 94
Smith, Erwin F., Woronin, 1; The staining of Bact. tumefaciens in tissue, 127; Bacterial mulberry blight, 175; Bacillus coli, a cause of plant disease, 175: Isolation of pathogenic potato bacteria: a question of priority, 213; A new method in bacterial research, 214; Etiology of crown galls on sugar beet, 270; The structure and development of crown gall: A plant cancer, review of, 275
Smuts, 93; sorghum, 98
Snowberry, see Symphoricarpos
Soil fungi, 90
Solanaceae, 10
Some notes on Sphaeropsis malorum, 94
Some observations on experiments with the chestnut bark disease, 97
Sorbus, disease of, 16
Sorghum, anthracnose, 12; smut, 98
Spaulding, Perley, Notes upon Cronartium ribicola (abstract), 47; Notes upon tree diseases in the eastern states (abstract), 93
Speare, Alden T., Notes on Hawaiian fungi, I; Gibellula suffulta n. sp., 135
Sphacelotheca cruenta, 98; reiliana, 98; sorghi, 98
Sphaeria, 266; enteromela, 267; fluens, 212; gyrosa, 89, 207-211, 265-268; radicalis, 207-212, 265-268
Sphaeronema, 113
Sphaeropsis malorum, 5, 50-62, 94, 181-190
Sphaerotheca humuli, 85
Spider, fungus on, 135; on sweet pea, 157
Spinach, leaf mold, 10; malnutrition diseases, 10, 11
Spirostachys occidentalis, rust on, 17
Spisar, Karl, Ueber die Bildung des Zuckerrüben Kröpfes, critique of, 270
Spore germination and infection with Plasmopara viticola, 235
Sprays, 46, 161; for apple diseases, 71, 190, 253, 258; for olive knot, 104; for peach leaf rust, 145; for potato, 45; for quince blotch, 71, see Bordeaux, fungicides and lime-sulphur
Staining of Bacterium tumefaciens in tissue, 127
Stains, bacterial, 214
Stem-end rot, citrus fruits, 8, 109
Stemphylium citri, 8; tritici, 12
Stereum albobadium, 116
Sterigmatocystis, 135; castanea, on pomegranates, 125
Stevens, Neil E., Wood rots of the hardy catalpa, 114

Stewart, F. C. and French, G. T., Relative merits of lime-sulphur, lead benzoate and Bordeaux mixture for spraying potatoes (abstract), 45
Stock, see Matthiola
Streptothrix, 97, 146
Stylospores, 121, 122, 123
Sugar beet, see beet
Sugar cane, red rot of, 11
Sulphur, for apple rust, 258; injury, potato 10
Sulfuric acid, as a fungicide, 99
Sumac, culturing Diaporthe on, 206
Summer and fall observations on the growth of the chestnut bark disease in Pennsylvania, 100
Sunflower, see Helianthus
Sun-scald, peach, 6
Sweet fern, 17
Sweet pea, disease, relation of Gloeosporiums to, 153; Thielavia on, 192
Sweet potato, ascogenous form of dry rot fungus, 121
Symphoricarpos racemosus, disease of, 17
Synchytrium, 10
Tangerines, disease of, 8, 218, 220, 222
Taubenhaus, J. J., A further study of some Gloeosporiums and their relation to a sweet pea disease, 153; see Cook, Mel. T.
Taxus brevifolia, rot of, 78
Tetranychus bimaculatus, on sweet pea, 157
Thielavia basicola, infection on ginseng, 191
Thielaviopsis paradoxa, 8
Thlaspi arvensis, 139, 140
Thuya plicata, rot of, 77, 78, 79
Tilia americana, rot of, 76
Tillandsia recurvata, 7
Timber, fire killed, deterioration of, 46
Tobacco, Thielavia on, 192
Tomato, bacterial disease of, 10; Phytopathora blight of, 250
Townsend, C. O., Some limiting factors in the control of sugar beet diseases, (title), 47
Toxylon pomiferum, disease of, 16
Trametes pini, 18, 77, 79
Trees, forest, diseases of, 14, 16, 46, 47, 48, 73, 91, 93, 94, 96, 97, 99, 100, 128, 176, 204, 211, 215, 261, 265
Trend of investigation in plant pathology, 161
Tripsacum dactyloides, 13
Triticum, floret sterility of, 12; mildew on, 81, 83, 203; root and culm infection of by soil fungi, 90; rust on, 47, 202; compactum and varieties, 82; dicoccum and varieties, 81–85; durum and varieties, 82; monoccum, 82, 84; polonicum and varieties, 82; spelta and varieties, 82; tumonia, 82; turgidum and varieties, 82; vulgare and varieties, 83, 84, 85
Trochila populorum, 15
Tropaeolum majus, 19
Tsuga canadensis, 15, 76, 77; heterophylla, 76, 77, 78, 79, 215; mertensiana, 77, 78
Tubercularia velutipes, 266
Turnip, see Brassica

Ulmus, 268; americana, 75; racemosa, 75
Umbelliferae, 138
Umbellularia californica, rot of, 76
Uredineae, Connecticut, 94; correlation Puccinia and Uromyces, 48; culturing Puccinia, 201, 202; on Andropogon, 13, 164; on apple and cedar, 253, 258; on Castilleja, 176; on forest trees, 14, 15, 17, 47, 94; on Glyceria and Deschampsia, 13; on Parthenium, 14; on peach, 143; on Rhododendron and Kalmia. 93; on Violaceae, 164; on wheat, 12; on white pine, 17, 47.
Uredo parthenii, 14; spirostachydis, 17
Uredospores, germination of, 47
Uromyces, correlation with Puccinia, 48; validity of genus, 168; andropogonis, 20, 164–170; coluteae 14; genistae-tinctoriae, 14; glyceriae, 13; peckianus, 48; pedatata, 20, 167; poae, 13
Use of the autochrome plate method in plant pathology, 98
Use of fungicides to prevent damping-off, 99
Ustilagineae on Andropogon sorghum (L.) in America, 98
Ustilago cruenta, 98; esculenta, 93

Valsa leucostoma, 6, 61
Vitis, 268
Valsonectria, 88
Venturia pyrina, 127
Verrucosis, citrus, 224
Verticillium, 19
Vinca major, wilt of, 20
Viola cucullata, 165-169; fimbriatula, 164-170; hirsutula, 165; papilionacea, 164-170; pedata, 165-167; primulifolia, 164-170; sagittata, 164-170; sororia, 166-170; tricolor, disease of, 19
Violaceae, rusts on 164, 171; Thielavia on, 192, 193
Viscum album, 92

Wallace, Errett, Apple scab infection as correlated with maturity of ascospores, weather conditions, and development of fruit buds (abstract), 94
——— and Evans, L. H., The detection of inert ingredients of fungicides (abstract), 95
Walnut, see Juglans
Wart disease, potato, 9
Weir, Jas. R., Observations on the deterioration and utilization of fire-killed timber in the northwest (abstract), 46 ; A Botrytis on conifers in the northwest, 215
Wheat, see Triticum
Wilcox, E. Mead and Link, G. K. K., A new form of pure culture chamber, 120
Willow, see Salix
Wilson, Guy West, review by, 129
Winter killing and smelter injury in the forests of Montana, 94
Witches broom, 6 ; bamboo, 13
Wither tip, citrus, 217
Wolf, F. A. and Lloyd, F. E., Oedema on manihot, 131
Wood rots of the hardy catalpa, 114
Woronin, Life of, 1

Xanthoxylum, rot of, 75

Zizania latifolia, 93
Zythia versoniana, 112